

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	23	((RNSAP or RN-SAP) near protocol) and (soft near hand\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 08:22
L2	11	l1 and @ad<"20020410"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 08:20
L3	0	"L11" and (((RNSAP or RN-SAP) near protocol) same (position or location or (cell near ID)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 08:23
L4	0	"L11" and (((RNSAP or RN-SAP) near protocol) same (area or position or location or (cell near ID)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 09:28
L5	726	rangarajan.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 09:28
L6	2	rangarajan.in. and (block near "301")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 09:28
S1	14	voltolina.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 09:42
S4	45	(soft near (hand\$4 adj (off\$2 or over\$2))) and ((beam or antenna) near (sector\$3 or sectoriz\$5)) and pilot	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 09:45

S5	6	(soft near (hand\$4 adj (off\$2 or over\$2))) and ((beam or antenna) near steer\$4) and pilot	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 18:38
S6	26	S4 and @ad<"20020410"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/05 08:20
S7	5	S5 and (target or serving or anchor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 09:47
S8	16	S6 and (target or serving or anchor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 09:47
S9	26	S6 and @ad<"20020410"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 09:47
S10	5	(soft near (hand\$4 adj (off\$2 or over\$2))) and (sector\$3 or sectoriz\$4) and ((drift same serving) or (target same anchor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 09:57
S11	14	(soft near (hand\$4 adj (off\$2 or over\$2))) and ((drift same serving) or (target same anchor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 09:58
S13	164	((hand\$4 adj (off\$2 or over\$2))) and ((drift same serving) or (target same anchor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 10:24

S14	105	S13 and @ad<"20020410"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 10:23
S15	3	((drift same serving) or (target same anchor)) and (gai or (geopgraphical near area near information)) and pilot	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 10:22
S16	16	((drift same serving) or (target same anchor)) and (gai or (geopgraphical near area near information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 12:55
S17	75	((drift and serving) or (target and anchor)) and (gai or (geopgraphical near area near information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 10:23
S19	849	((hand\$4 adj (off\$2 or over\$2))) and (sector\$3 or sectoriz\$5) and pilot	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 10:24
S20	28	S19 and (((hand\$4 adj (off\$2 or over\$2))) near (sector\$3 or sectoriz\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 10:44
S21	20	S20 and @ad<"20020410"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 10:46
S22	0	S21 and ((cell adj information) or (geographical near area near information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 10:26

S23	64	(hand\$4 adj (off\$2 or over\$2)) and (gai or (geographical near area near information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 15:45
S25	138	(geographical near area near information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 10:47
S26	88	S25 and @ad<"20020410"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 12:56
S28	4	((drift same serving) or (target same anchor)) and (geographical near area near information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 15:12
S29	62	((drift same serving) or (target same anchor)) and (cell near (position or location))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 13:02
S30	34	S29 and @ad<"20020410"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 15:12
S32	52	(geographical near area near information) and cellular	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 15:12
S33	51	S32 and (position or location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 15:12

S34	29	S33 and @ad<"20020410"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 15:43
S35	309	(sector\$3 or sectoriz\$5) and (cell adj (ID or identification)) and @ad<"20020410"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 15:44
S36	11	S35 and ((sector\$3 or sectoriz\$5) near (cell adj (ID or identification))) and @ad<"20020410"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 15:53
S37	3	S36 and (hand\$4 adj (off\$2 or over\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 15:46
S38	3	(hand\$4 near (off\$2 or over\$2)) and ((sector\$3 or sectoriz\$5) near (cell adj (ID or identification))) and @ad<"20020410"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 15:55
S39	2115	(hand\$4 near (off\$2 or over\$2)) and ((sector\$3 or sectoriz\$5) or (cell adj (ID or identification))) and @ad<"20020410"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 15:55
S40	68	(hand\$4 near (off\$2 or over\$2)) and ((sector\$3 or sectoriz\$5) and (cell near (ID or identification))) and @ad<"20020410"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 16:06
S41	0	(scpic or s-cpic) and (hand\$4 near (off\$2 or over\$2)) and ((sector\$3 or sectoriz\$5) or (cell near (ID or identification))) and @ad<"20020410"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 16:06

S42	0	(scpich or s-cpich) and (hand\$4 near (off\$2 or over\$2)) and @ad<"20020410"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 16:06
S43	0	(secondary near (cpich or (common adj pilot adj channel))) and (hand\$4 near (off\$2 or over\$2)) and @ad<"20020410"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 16:07
S44	17	(secondary near (cpich or (common adj pilot adj channel))) and @ad<"20020410"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 16:07
S45	12	S44 and hand\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/04 16:08